



TYPICAL CERTIFICATE OF ANALYSIS

TO:

TO AVOID BACKFILL CYLINDER PRESSURE MUST
BE GREATER THAN PROCESS PRESSURE

PHONE:
FAX:

SALES ORDER NUMBER:
P.O. NUMBER
LOT NUMBER:

PRODUCT ANALYZED: Hydrogen Industrial

FILL DATE:

CYLINDER SERIAL #:

CYLINDER STENCIL #:

SIZES AVAILABLE: 300cf (1), 200cf (2), 92cf (5), 40cf (6)

CGA OUTLET:

CONTENTS:

PRESSURE:

COMPONENT	REQUESTED CONCENTRATION	BLEND TOLERANCE +/-	CERTIFIED CONCENTRATION	CERTIFICATION ACCURACY
Oxygen		< 25 PPM		
Nitrogen		< 100 PPM		
H ₂ O		< 34 PPM		
Hydrogen			99.900%	

REFERENCE STANDARDS:

COMPONENT:

CYLINDER STENCIL #:

CONCENTRATION:

CERTIFICATION INSTRUMENTS	COMPONENT	MAKE/MODEL	SERIAL #	LAST CALIBRATION
Western International				

THE PRODUCT LISTED ABOVE AND FURNISHED UNDER THE REFERENCED PURCHASE ORDER HAS BEEN TESTED AND FOUND TO CONTAIN THE COMPONENT CONCENTRATION LISTED ABOVE. GENERAL AIR WARRANTS THAT THE ABOVE PRODUCTS CONFORM AT THE TIME OF SHIPMENT TO THE ABOVE DESCRIPTION. GENERAL AIR'S LIABILITY DOES NOT EXCEED THE VALUE OF THE PRODUCT PURCHASED.

ANALYST

DATE

SIGNATURE

REVIEWED BY

DATE

SIGNATURE